

Map Series Five

Town of Duck

Shoreline Change
Scenario Three

High Erosion

— 2010 First Line of Stable Natural Vegetation

□ High Scenario 10yr

□ High Scenario 20yr

□ High Scenario 30yr

■ Structure

■ Pool

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Page 1 of 6

1 inch = 400 feet

Imagery - 2007 Dare County Digital Orthophotos



*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.



Map Series Five

Town of Duck

Shoreline Change
Scenario Three

High Erosion


- 2010 First Line of Stable Natural Vegetation
- High Scenario 10yr
- High Scenario 20yr
- High Scenario 30yr

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Page 2 of 6

1 inch = 400 feet

Imagery - 2007 Dare County Digital Orthophotos



VIREO WAY

DUCK RD

GANNET LN

WAXWING LN

WAXWING CT

RUDDY DUCK LN

BLUE HERON LN

FELICAN WAY

ROYAL TERN LN

BUNTING WAY

BUNTING LN

SHEARWATER WAY

SKIMMER WAY

OYSTER CATCHER LN

OCEAN PINES DR

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.





Map Series Five

Town of Duck


Shoreline Change
Scenario Three

High Erosion

- Structure
- Pool
- 2010 First Line of Stable Natural Vegetation
- High Scenario 10yr
- High Scenario 20yr
- High Scenario 30yr

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.



Map Series Five

Town of Duck

Shoreline Change
Scenario Three

High Erosion

- 2010 First Line of Stable Natural Vegetation
- High Scenario 10yr
- High Scenario 20yr
- High Scenario 30yr

- Structure
- Pool

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Page 4 of 6

1 inch = 400 feet

Imagery - 2007 Dare County Digital Orthophotos



*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Imagery - 2007 Dare County Digital Orthophotos



Map Series Five

Town of Duck

Shoreline Change
Scenario Three

High Erosion

- 2010 First Line of Stable Natural Vegetation
- ▭ High Scenario 10yr
- ▭ High Scenario 20yr
- ▭ High Scenario 30yr


*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Page 5 of 6

1 inch = 400 feet

Imagery - 2007 Dare County Digital Orthophotos





*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.



Map Series Five

Town of Duck

Structure

Shoreline Change
Scenario Three

Pool

High Erosion

— 2010 First Line of Stable Natural Vegetation

High Scenario 10yr

High Scenario 20yr

High Scenario 30yr

*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Page 6 of 6

1 inch = 400 feet

Imagery - 2007 Dare County Digital Orthophotos



*Town staff used a combination of the erosion setback factor established by the North Carolina Division of Coastal Management or the short-term erosion calculated in Map Series Two to project 10, 20, and 30 year erosion patterns for this scenario. For each transect, the higher of the two rates was used. The colored lines west of the FLSNV indicate the projected location of the FLSNV for each time interval.

Imagery - 2007 Dare County Digital Orthophotos

